

Contents of *Aquaculture*, Volume 252

VOL. 252 NO. 1

1 March 2006

## Special Issue: Seaweed-based Integrated Mariculture

Special issue opening comments: Seaweed-based integrated mariculture

R. Santos (Faro, Portugal) .....	1
The tetrasporophyte of <i>Asparagopsis armata</i> as a novel seaweed biofilter	
A. Schuenhoff, L. Mata and R. Santos (Faro, Portugal) .....	3
The effects of light and temperature on the photosynthesis of the <i>Asparagopsis armata</i> tetrasporophyte ( <i>Falkenbergia rufolanosa</i> ), cultivated in tanks	
L. Mata, J. Silva, A. Schuenhoff and R. Santos (Faro, Portugal) .....	12
Tank cultivation of the red alga <i>Palmaria palmata</i> : Year-round induction of tetrasporangia, tetraspore release in darkness and mass cultivation of vegetative thalli	
S.J. Pang (Qingdao, China) and K. Lüning (List/Sylt, Germany) .....	20
Experimental integrated aquaculture of fish and red seaweeds in Northern Portugal	
J. Matos, S. Costa, A. Rodrigues, R. Pereira and I. Sousa Pinto (Porto, Portugal) .....	31
Studies on the biofiltration capacity of <i>Gracilariopsis longissima</i> : From microscale to macroscale	
I. Hernández, A. Pérez-Pastor, J.J. Vergara, J.F. Martínez-Aragón, M.Á. Fernández-Engo and J.L. Pérez-Lloréns (Cádiz, Spain) ..	43
Exploring Northeast American and Asian species of <i>Porphyra</i> for use in an integrated finfish-algal aquaculture system	
R. Carmona (Spain; USA), G.P. Kraemer and C. Yarish (USA) .....	54
The influence of stocking density, light and temperature on the growth, production and nutrient removal capacity of <i>Porphyra dioica</i> (Bangiales, Rhodophyta)	
R. Pereira (Porto, Portugal; Stanford, CT, USA), C. Yarish (Stanford, CT, USA) and I. Sousa-Pinto (Porto, Portugal) .....	66
Screening of cultivated seaweeds for antibacterial activity against fish pathogenic bacteria	
A. Bansemir, M. Blume, S. Schröder and U. Lindequist (Greifswald, Germany) .....	79
Evaluation of three seaweeds <i>Gracilaria bursa-pastoris</i> , <i>Ulva rigida</i> and <i>Gracilaria cornea</i> as dietary ingredients in European sea bass ( <i>Dicentrarchus labrax</i> ) juveniles	
L.M.P. Valente, A. Gouveia (Porto, Portugal) P. Rema (Porto, Vila Real, Portugal) J. Matos, E.F. Gomes and I.S. Pinto (Porto, Portugal) .....	85
High rate algal pond treatment for water reuse in a marine fish recirculation system: Water purification and fish health	
E. Metaxa (Palavas Les Flots, France), G. Deviller (Montpellier, France), P. Pagand (Nouvelle Calédonie, France), C. Alliaume (Montpellier Cedex, France) C. Casellas (Montpellier France) and J.P. Blancheton (Palavas Les Flots, France) .....	92

VOL. 252 NOS. 2–4

10 March 2006

## Letter to the Editor

Letter to the Editor of *Aquaculture*

D.P. Bureau and K. Hua (Guelph, Ontario, Canada) .....	103
--	-----

Contents of *Aquaculture*, Volume 252

VOL. 252 NO. 1

1 March 2006

## Special Issue: Seaweed-based Integrated Mariculture

Special issue opening comments: Seaweed-based integrated mariculture

R. Santos (Faro, Portugal) .....	1
The tetrasporophyte of <i>Asparagopsis armata</i> as a novel seaweed biofilter	
A. Schuenhoff, L. Mata and R. Santos (Faro, Portugal) .....	3
The effects of light and temperature on the photosynthesis of the <i>Asparagopsis armata</i> tetrasporophyte ( <i>Falkenbergia rufolanosa</i> ), cultivated in tanks	
L. Mata, J. Silva, A. Schuenhoff and R. Santos (Faro, Portugal) .....	12
Tank cultivation of the red alga <i>Palmaria palmata</i> : Year-round induction of tetrasporangia, tetraspore release in darkness and mass cultivation of vegetative thalli	
S.J. Pang (Qingdao, China) and K. Lüning (List/Sylt, Germany) .....	20
Experimental integrated aquaculture of fish and red seaweeds in Northern Portugal	
J. Matos, S. Costa, A. Rodrigues, R. Pereira and I. Sousa Pinto (Porto, Portugal) .....	31
Studies on the biofiltration capacity of <i>Gracilariopsis longissima</i> : From microscale to macroscale	
I. Hernández, A. Pérez-Pastor, J.J. Vergara, J.F. Martínez-Aragón, M.Á. Fernández-Engo and J.L. Pérez-Lloréns (Cádiz, Spain) ..	43
Exploring Northeast American and Asian species of <i>Porphyra</i> for use in an integrated finfish-algal aquaculture system	
R. Carmona (Spain; USA), G.P. Kraemer and C. Yarish (USA) .....	54
The influence of stocking density, light and temperature on the growth, production and nutrient removal capacity of <i>Porphyra dioica</i> (Bangiales, Rhodophyta)	
R. Pereira (Porto, Portugal; Stanford, CT, USA), C. Yarish (Stanford, CT, USA) and I. Sousa-Pinto (Porto, Portugal) .....	66
Screening of cultivated seaweeds for antibacterial activity against fish pathogenic bacteria	
A. Bansemir, M. Blume, S. Schröder and U. Lindequist (Greifswald, Germany) .....	79
Evaluation of three seaweeds <i>Gracilaria bursa-pastoris</i> , <i>Ulva rigida</i> and <i>Gracilaria cornea</i> as dietary ingredients in European sea bass ( <i>Dicentrarchus labrax</i> ) juveniles	
L.M.P. Valente, A. Gouveia (Porto, Portugal) P. Rema (Porto, Vila Real, Portugal) J. Matos, E.F. Gomes and I.S. Pinto (Porto, Portugal) .....	85
High rate algal pond treatment for water reuse in a marine fish recirculation system: Water purification and fish health	
E. Metaxa (Palavas Les Flots, France), G. Deviller (Montpellier, France), P. Pagand (Nouvelle Calédonie, France), C. Alliaume (Montpellier Cedex, France) C. Casellas (Montpellier France) and J.P. Blancheton (Palavas Les Flots, France) .....	92

VOL. 252 NOS. 2–4

10 March 2006

## Letter to the Editor

Letter to the Editor of *Aquaculture*

D.P. Bureau and K. Hua (Guelph, Ontario, Canada) .....	103
--	-----

**Diseases**

- Gene structure of goose-type lysozyme in the mandarin fish *Siniperca chuatsi* with analysis on the lytic activity of its recombinant in *Escherichia coli*  
 B.J. Sun (Hubei Province, P.R. China), G.L. Wang (Hubei Province, Shanxi Province, P.R. China), H.X. Xie, Q. Gao and P. Nie (Hubei Province, P.R. China) ..... 106
- Molecular cloning and expression of caspase from white shrimp *Penaeus merguensis*  
 A. Phongdara, W. Wana and W. Chotigeat (Songkhla, Thailand) ..... 114
- Seasonal variation in the innate immune parameters of the Asian catfish *Clarias batrachus*  
 J. Kumari, P.K. Sahoo, T. Swain, S.K. Sahoo, A.K. Sahu and B.R. Mohanty (Bhubaneswar, India) ..... 121
- RT-PCR and sequence analysis of *Macrobrachium rosenbergii* nodavirus: Indian isolate  
 M.S. Shekhar, I.S. Azad and K.P. Jithendran (Chennai, India) ..... 128

**Genetics**

- Comparison of domestic and wild channel catfish (*Ictalurus punctatus*) populations provides no evidence for genetic impact  
 M. Simmons, K. Mickett, H. Kucuktas, P. Li, R. Dunham and Z. Liu (Auburn, AL, USA) ..... 133
- Drastic mortality in tetraploid induction results from the elevation of ploidy in masu salmon *Oncorhynchus masou*  
 S. Sakao, T. Fujimoto, S. Kimura, E. Yamaha and K. Arai (Hokkaido, Japan) ..... 147
- Effect of different mating designs on inbreeding, genetic variance and response to selection when applying individual selection in fish breeding programs  
 M. Dupont-Nivet, M. Vandeputte (Jouy en Josas Cedex, France), P. Haffray (Rennes, France) and B. Chevassus (Jouy en Josas Cedex, France) ..... 161
- Polyploid induction by heat shock-induced meiosis and mitosis inhibition in the dwarf surfclam, *Mulinia lateralis* Say  
 H. Yang (Port Norris, NJ, USA; Beijing, People's Republic of China) and X. Guo (Port Norris, NJ, USA) ..... 171

**Husbandry and Management**

- Live chilling of Atlantic salmon (*Salmo salar*) combined with mild carbon dioxide anaesthesia: I. Establishing a method for large-scale processing of farmed fish  
 U. Erikson, L. Hultmann (Trondheim, Norway) and J. Erik Steen (Spongdaal, Norway) ..... 183
- Natural spawning of greater amberjack (*Seriola dumerili*) kept in captivity in the Canary Islands  
 S. Jerez, M. Samper, F.J. Santamaria, J.E. Villamandos, J.R. Cejas and B.C. Felipe (Santa Cruz de Tenerife, Spain) ..... 199
- The pearl oysters, *Pinctada maxima* and *P. margaritifera*, respond in different ways to culture in dissimilar environments  
 H. Yukihiro (Koror, Republic of Palau), J.S. Lucas (St. Lucia, Queensland, Australia) and D.W. Klumpp (Townsville MC, Queensland, Australia) ..... 208
- Effect of diatom diets on growth and survival of the abalone *Haliotis discus hannai* postlarvae  
 N. Gordon, A. Neori, M. Shpiguel (Eilat, Israel), J. Lee (New York, NY, USA) and S. Harpaz (Bet Dagan, Israel) ..... 225
- Multibeam sonar detection of suspended mussel culture grounds in the open sea: Direct observation methods for management purposes  
 P. Brehmer, C. Vercelli, F. Gerlotto, F. Sanguinède, Y. Pichot, Y. Guennégan (Sète cedex, France) and D. Buestel (Tahiti, France) ..... 234
- Association of Mourilyan virus with mortalities in farm pond-reared *Penaues* (*Marsupenaues*) *japonicus* transferred to maturation tank systems  
 M.J. Sellars, S.J. Keys (Cleveland, Qld, Australia), J.A. Cowley, R.J. McCulloch (St Lucia, Qld, Australia) and N.P. Preston (Cleveland, Qld, Australia) ..... 242
- The effect of carbohydrate addition on water quality and the nitrogen budget in extensive shrimp culture systems  
 B. Hari, B. Madhusoodana Kurup, J.T. Varghese (Pin, India), J.W. Schrama and M.C.J. Verdegem (Wageningen, The Netherlands) ..... 248
- Bioremediation potential of the macroalga *Gracilaria lemaneiformis* (Rhodophyta) integrated into fed fish culture in coastal waters of north China  
 Y. Zhou, H. Yang, H. Hu, Y. Liu, Y. Mao, H. Zhou, X. Xu and F. Zhang (Qingdao, People's Republic of China) ..... 264
- Abundance and diversity of fish on mussel farms in New Zealand  
 D.J. Morrissey, R.G. Cole, N.K. Davey, S.J. Handley, A. Bradley, S.N. Brown and A.L. Madarasz (Nelson, New Zealand) ..... 277
- Dynamic changes of total bacteria and *Vibrio* in an integrated seaweed-abalone culture system  
 S.J. Pang, T. Xiao and Y. Bao (Qingdao, China) ..... 289
- Reproductive efficiency of the signal crayfish (*Pacifastacus leniusculus* Dana, Astacidae) at different densities under both culture and laboratory conditions  
 J.D. Celada, J.I. Antolin, J.M. Carral, J.R. Pérez and M. Sáez-Royuela (León, Spain) ..... 298
- Evaluation of fast green uptake as a simple fitness test for spat of *Perna canaliculus* (Gmelin, 1791)  
 S.C. Webb and K.G. Heasman (Nelson, New Zealand) ..... 305

The reproductive cycle and potential protandric development of the Noah's Ark shell, <i>Arca noae</i> L.: Implications for aquaculture M. Peharda, I. Mladineo (Split, Croatia), J. Bolotin (Dubrovnik, Croatia), L. Kekez (Split, Croatia) and B. Skaramuca (Dubrovnik, Croatia) . . . . .	317
Seasonal changes in carbohydrate metabolism and its relationship with summer mortality of Pacific oyster <i>Crassostrea gigas</i> (Thunberg) in Marennes-Oléron bay (France) S. Patrick, N. Faury and P. Goulletquer (La Tremblade, France) . . . . .	328
Stocking density-dependent growth of Dover sole ( <i>Solea solea</i> ) E. Schram, J.W. Van der Heul, A. Kamstra and M.C.J. Verdegem (AB IJmuiden, The Netherlands) . . . . .	339
Growth of redclaw crayfish ( <i>Cherax quadricarinatus</i> ) in a three-dimensional compartments system: Does a neighbor matter? A. Barki, I. Karplus (Bet Dagan, Israel), R. Manor, S. Parnes, E.D. Afalo and A. Sagi (Beer-Sheva, Israel) . . . . .	348
Bioaccumulation of copper in post-larvae and juveniles of freshwater prawn <i>Macrobrachium rosenbergii</i> (de Man) exposed to sub-lethal levels of copper sulfate R. Reddy, B.R. Pillai and S. Adhikari (Orissa, India) . . . . .	356
The effects of wave and feeding disturbance on roe enhancement of the sea urchin <i>Evechinus chloroticus</i> held in sea-cages P.J. James (Wellington, New Zealand) . . . . .	361
Reproductive performance of reciprocally crossed wild-caught and tank-reared <i>Penaeus monodon</i> broodstock G.J. Coman, S.J. Arnold (Cleveland, Qld, Australia), S. Peixoto (Rio Grande, Brazil), P.J. Crocos, F.E. Coman and N.P. Preston (Cleveland, Qld, Australia) . . . . .	372
Influence of photoperiod on reproductive performances in Eurasian perch <i>Perca fluviatilis</i> H. Migaud (Nancy, France; Stirling, Scotland), N. Wang, J.-N. Gardeur and P. Fontaine (Nancy, France) . . . . .	385
<b>Nutrition</b>	
Cloning and expression analysis of three digestive enzymes from Atlantic halibut ( <i>Hippoglossus hippoglossus</i> ) during early development: Predicting gastrointestinal functionality H.M. Murray (Halifax, Nova Scotia, St. John's, Newfoundland, Canada), J.W. Gallant, S.C. Johnson and S.E. Douglas (Halifax, Nova Scotia, Canada) . . . . .	394
Dietary influence on quality of farmed Atlantic cod ( <i>Gadus morhua</i> ): Effect on glycolysis and buffering capacity in white muscle O. Forde-Skjærvi (Ås-UMB, Norway), O. Skjærvi (Ås-UMB, Ås, Norway), T. Mørkøre (Ås, Norway), M.S. Thomassen and K.-A. Rørviik (Ås-UMB, Ås, Norway) . . . . .	409
Effects of dietary protein and energy levels on growth, feed utilization and body composition of cuneate drum ( <i>Nibea miichthioides</i> ) Y. Wang, J.-I. Guo, K. Li (Shanghai, China) and D.P. Bureau (Guelph, Ontario, Canada) . . . . .	421
Response of growth-selected brown trout ( <i>Salmo trutta</i> ) to challenging feeding conditions M. Mambrini (Jouy en Josas Cedex, France), L. Labbé (Sizun, France), F. Randriamanantsoa and T. Boujard (Jouy en Josas Cedex, France) . . . . .	429
Fat content and morphology of liver and intestine of Atlantic salmon ( <i>Salmo salar</i> ): Effects of temperature and dietary soybean oil B. Ruyter, C. Moya-Falcón (Ås, Norway), G. Rosenlund (Stavanger, Norway) and A. Vegusdal (Ås, Norway) . . . . .	441
Myosin heavy chain mRNA expression correlates higher with muscle protein accretion than growth in Atlantic salmon, <i>Salmo salar</i> E.M. Hevroy, A.-E.O. Jordal, I. Hordvik, M. Espe, G.-I. Hemre and P.A. Ølsvik (Bergen, Norway) . . . . .	453
No efficiency of the lateral system on nocturnal feeding in the European sea bass ( <i>Dicentrarchus labrax</i> L.) K. Faucher (L'Houmeau, La Rochelle, France), G. Dutto, D. Covès (Palavas les Flots, France), A. Aubert (La Rochelle, France) and J.P. Lagardère (L'Houmeau, France) . . . . .	462
Replacement of fish meal by rendered animal protein ingredients in feeds for cuneate drum ( <i>Nibea miichthioides</i> ) Y. Wang, J.-I. Guo (Shanghai, China), D.P. Bureau (Guelph, Ontario, Canada) and Z.-h. Cui (Shanghai, China) . . . . .	476
Dourado ( <i>Salminus brasiliensis</i> ) larviculture: Weaning and ontogenetic development of digestive proteinases O.M. Vega-Orellana, D.M. Fracalossi (Florianópolis, Brazil) and J.K. Sugai (UFSC, Brazil) . . . . .	484
Effects of feeding frequency on feed leaching loss and grow-out patterns of the white shrimp <i>Litopenaeus vannamei</i> fed under a diurnal feeding regime in pond enclosures E.A. Carvalho and A.J.P. Nunes (Ceará, Brazil) . . . . .	494
Digestive enzymes activity during ontogenetic development and effect of starvation in Japanese flounder, <i>Paralichthys olivaceus</i> S. Bolasina, A. Pérez and Y. Yamashita (Kyoto, Japan) . . . . .	503
The effect of <i>Bacillus</i> spp. bacteria used as probiotics on digestive enzyme activity, survival and growth in the Indian white shrimp <i>Fenneropenaeus indicus</i> S. Ziaei-Nejad (Karaj, Iran), M.H. Rezaei, G.A. Takami (Tehran, Iran), D.L. Lovett (Ewing, NJ, USA), A.-R. Mirvaghefi (Karaj, Iran) and M. Shakouri (Tehran, Iran) . . . . .	516
Larviculture output and stress tolerance of <i>Farfantepenaeus paulensis</i> postlarvae fed <i>Artemia</i> containing different fatty acids T.G. Martins, R.O. Cavalli (Rio Grande, Brazil), R.C. Martino (Rio de Janeiro, Brazil), C.E.M. Rezende and W. Wasielesky Jr (Rio Grande, Brazil) . . . . .	525

A computer-based statistical model of the food and feeding patterns of the Southern brown shrimp <i>Farfantepenaeus subtilis</i> under culture conditions A.J.P. Nunes (Ceará, Brazil) and G.J. Parsons (Ottawa, ON, Canada) . . . . .	534
<b>Physiology and Endocrinology</b>	
Effects of growth rate/body size and a low lipid diet on the incidence of early sexual maturation in juvenile male spring Chinook salmon ( <i>Oncorhynchus tshawytscha</i> ) K. Shearer, P. Parkins, B. Gadberry, B. Beckman (Seattle, WA, United States) and P. Swanson (Seattle, Pullman, WA, United States) . . . . .	545
Effects of different light sources and illumination methods on growth and body color of shrimp <i>Litopenaeus vannamei</i> K. You (Qingdao, Beijing, China), H. Yang, Y. Liu, S. Liu, Y. Zhou and T. Zhang (Qingdao, China) . . . . .	557
Stress response of red sea bream <i>Pagrus major</i> to acute handling and chronic photoperiod manipulation A.K. Biswas, M. Seoka, K. Takii (Wakayama, Japan), M. Maita (Tokyo, Japan) and H. Kumai (Wakayama, Japan) . . . . .	566
Gynogenesis and sex determination in Atlantic Halibut ( <i>Hippoglossus hippoglossus</i> ) H.B. Tvedt (Fredericton, St. Andrews, New Brunswick, Canada), T.J. Benfey (Fredericton, New Brunswick, Canada), D.J. Martin-Robichaud (St. Andrews, New Brunswick, Canada), C. McGowan and M. Reith (Halifax, Nova Scotia, Canada) . . . . .	573
The influence of salinity, diurnal rhythm and daylength on feeding behavior in <i>Meretrix meretrix</i> Linnaeus S. Zhuang (Yantai, China) . . . . .	584
Changes in metabolic and immunological variables of wild and pond-reared southern white shrimp <i>Litopenaeus schmitti</i> adult males during continuous reproductive activity L. Pérez-Jar (Ciudad de La Habana, Cuba; La Paz, México), T. Rodríguez-Ramos, L. Ramos, Y. Guerra-Borrego (Ciudad de La Habana, Cuba) and I.S. Racotta (La Paz, México) . . . . .	591
Effect of feeding and lack of food on the growth, gross biochemical and fatty acid composition of juvenile crab, <i>Eriocheir sinensis</i> X. Wen (Guangzhou, Shanghai, Nanjing, China), L. Chen (Shanghai, China), Y. Ku (Guangzhou, China) and K. Zhou (Nanjing, China) . . . . .	598
<b>Contents of Aquaculture, Volume 252</b> . . . . .	608